

Safety Data Sheet

Section 1 - Product and Company Identification

Material Name Product Code Product Description	* RX-705 Acrylic Roof Patching Compound * RX-7053, RX-7055 * White Liquid.		
Product Use	* Patching Compound		
Synonyms	* Flexible Sealant		
Manufacturer	 * Gardner Gibson Inc. 4701 E. 7th Avenue. Tampa, FL 33605 United States_ www.gardner-gibson.com Please use "Contact Us" form on the website 		
Telephone			
Technical	* 813-367-4444		
<u>Emergency</u>	* 800-424-9300		
<u>Emergency</u>	* 703-527-3887		
Preparation Date	* 1/10/2018		
Last Revision Date	* 1/10/2018		

Section 2 - Hazards Identification

Emergency Overview

Causes mild skin irritation. Harmful if swallowed.

PreventionDo not handle until all safety precautions have been read and understood. Use personal
protective equipment as required. Wash thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

Storage/Disposal Store in a closed container. Do not allow product to freeze. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.



Color

Odor

Flash Point

* White Liquid. * Acrylic Paint-Like Odor.

* > 247 F(> 119.4444 C)

WHMIS

* Class D - Poisonous and Infectious Materials - Division 2 - Subdivision B

* Skin Corrosion/Irritation - Category 3, Serious Eye Damage, Eye Irritation - Category 2A,



OSHA (HCS2012)

NFPA: stability Fire Special Health

Potential Health Effects

Potential Health Effect	ts
Inhalation	
Acute (Immediate)	 Inhalation of vapors or mists may cause central nervous system depression, light- headedness, headache, nausea and loss of coordination.
Chronic (Delayed)	* Under normal conditions of use, no health effects are expected.
Skin	
Acute (Immediate)	* May cause irritation.
Chronic (Delayed)	* Repeated and prolonged exposure to the skin may cause dermatitis.
Eye	
Acute (Immediate)	* Likely to cause eye irritation, burning, tearing, etc. on contact with the eyes. If swelling and irritation persist, seek medical attention.
Chronic (Delayed)	* Direct contact may cause slight to moderate irritation.
Ingestion	
Acute (Immediate)	* May cause irritation. May affect the nervous system. May be harmful or fatal if swallowed.
Chronic (Delayed)	 * Repeated and prolonged exposure may cause gastrointestinal disturbances including diarrhea, nausea, and vomiting.

Carcinogenic Effects				
CAS IARC NTP				
Titanium Dioxide	13463-67-7	Group 2B-Possible Carcinogen	Evidence of Carcinogenicity	

Section 3 - Composition/Information on Ingredients

Hazardous Components						
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments	
Acrylic Polymer Solution	Proprietary	<30%				
Polyethylene Fiber	CAS # - 9002-88-4	<5%				
Titanium Dioxide	CAS # - 13463-67-7	<6%	Oral-rat TDLo:60 gm/kg			

Non-Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Water	7732-18-5	<34%			

This product is an encapsulated mixture which reduces the likelihood of exposure to hazardous particulates. Airborne exposures to hazardous dusts or mists may be generated by spraying, sanding or grinding.

Section 4 - First	Aid Measures		
Inhalation *	* IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If signs/symptoms continue, get medical attention.		
Skin *	* Rinse skin immediately with plenty of water for 15-20 minutes. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
Eye *	* If eye irritation persists: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Ingestion *	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.		
Section 5 - Fire F	ighting Measures		
Extinguishing Media	 * LARGE FIRE: Water spray, fog or regular foam. SMALL FIRES: Dry chemical, CO2, water spray or regular foam. 		
Unsuitable Extinguishing Media	* No data available.		
Firefighting Procedu	 * Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep unauthorized personnel away. 		
Unusual Fire and Explosion Hazards	 Product containers may rupture when exposed to extreme heat. Precaustions should be taken to prevent release of materials. 		
Hazardous Combust Products	ion * Non-combustible, substance itself does not burn but may decompose upon heating to produce toxic fumes.		
Protection of Firefighters	 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible. 		
Flash Point	* > 247 F(> 119.4444 C) CC (Closed Cup)		
Section 6 - Accid	lental Release Measures		
Personal Precaution	 * Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. 		
Emergency Procedu	res * Isolate the area and contain the spilled material. Persons not wearing the appropriate PPE should be removed from the area until the spill is cleaned up.		
Environmental	* Avoid run off to waterways and sewers.		
Precautions	* Absorb or cover with dry earth. sand or other non-combustible material and transfer to		

* Absorb or cover with dry earth, sand or other non-combustible material and transfer to

Use appropriate Personal Protective Equipment (PPE)

Containment/Clean-up

Measures

containers.

Section 7 - Handling and Storage			
Handling	 * KEEP OUT OF THE REACH OF CHILDREN! Keep containers tightly closed when not in use. 		
Storage	 * Avoid extreme temperatures and freezing. Keep container/package tightly closed and in a well-ventilated place. 		
Special Packaging Materials	* Not Applicable.		
Incompatible Materials or Ignition Sources	* Avoid contact with strong oxidizing agents and acids.		

Section 8 - Exposure Controls/Personal Protection

Personal Protective Equipment

Pictograms



Respiratory * When used with adequate ventilation, a respirator is not normally required. If required, use a NIOSH-approved air purifying respirator with organic vapor cartridge or supplied air respirator. This product is an encapsulated mixture which reduces the likelihood of exposure to hazardous particulates. Airborne exposures to hazardous dusts or mists may be generated by spraying, sanding or grinding.

Eye/Face	* Wear ANSI approved safety glasses with side shields or safety goggles.
----------	--

Hands * Wear chemical resistant gloves with repeated or prolonged exposure.

Engineering
Measures/Controls* Adequate ventilation systems as needed to control concentrations of airborne
contaminants below applicable threshold limit values. Use precaution to protect building
intake from fumes and vapors created outdoors.

Exposure Limits/Guidelines					
	Result	Canada Ontario	Mexico	NIOSH	OSHA
Titanium Dioxide (13463-67-7)	IVVAS	10 mg/m3 TWAEV (total dust)	10 mg/m3 TWA (as Ti)	Not established	15 mg/m3 TWA (total dust)

Section 9 - Physical and Chemical Properties

Material Description						
Physical Form	Liquid	Appearance/Description	White liquid with the consistency of paint.			
Color	White Liquid.	Odor	Acrylic Paint-Like Odor.			
Taste	No data available.	Particulate Type	Not relevant			
Particulate Size	Not relevant	Aerosol Type	Not relevant			
Odor Threshold	No data available					
General Properties						
Boiling Point	275 to 324 F	Melting Point	No data available			

Decomposition Temperature	No data available	Heat of Decomposition	Not relevant
рН	8 @ 25 C(77 F)	Specific Gravity/Relative Density	1.22 Water=1
Density	10.13 lbs/gal @ 25 C(77 F)	Bulk Density	No data available
Water Solubility	Soluble 100 % @ 25 C(77 F)	Solvent Solubility	Not relevant
Viscosity	180,000 cps. @ 25 C(77 F)		
Volatility			
Vapor Pressure	0.1 mmHg (torr) @ 20 C(68 F)	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 Ether = 1	VOC (Wt.)	0.01 lbs./Gal.
VOC (Vol.)	0.1 g/L	Volatiles (Wt.)	No data available
Volatiles (Vol.)	53.0%		
Flammability			
Flash Point	> 247 F(> 119.4444 C)	Flash Point Test Type	CC (Closed Cup)
UEL	No data available	LEL	No data available
Autoignition	No data available	Self-Accelerating Decomposition Temperature (SADT)	Not relevant
Llast of Combustion (Alla)			
Heat of Combustion (ΔHc)	Not relevant	Burning Time	Not relevant
Flame Duration	Not relevant Not relevant	Burning Time Flame Height	Not relevant Not relevant
		-	
Flame Duration	Not relevant	Flame Height	Not relevant
Flame Duration Flame Extension	Not relevant	Flame Height	Not relevant
Flame Duration Flame Extension Environmental	Not relevant Not relevant	Flame Height Ignition Distance	Not relevant Not relevant
Flame Duration Flame Extension Environmental Half-Life	Not relevant Not relevant Not relevant	Flame Height Ignition Distance Octanol/Water Partition coefficient	Not relevant Not relevant Not relevant
Flame Duration Flame Extension Environmental Half-Life Coefficient of Water	Not relevant Not relevant Not relevant Not relevant	Flame Height Ignition Distance Octanol/Water Partition coefficient Bioaccumulation Factor Biochemical Oxygen Demand	Not relevant Not relevant Not relevant Not relevant

Section 10 - Stability and Reactivity

Stability	* Stable under normal temperatures and pressures.
Hazardous Polymerization	* Hazardous polymerization not indicated.
Conditions to Avoid	* Excessive heat and freezing.
Incompatible Materials	* Strong oxidizers and acids.
Hazardous Decomposition Products	* No known issues under normal usage conditions.

Section 11 - Toxicological Information

Component Name	CAS	Data
Titanium Dioxide	1 34 h 3-h / - /	Acute Toxicity: orl-rat TDLo:60 gm/kg; Irritation: skn-hmn 300 ug/3D-I MLD

Other* IARC has concluded that the following chemicals in this product are possibly carcinogenic to
humans(Group 2B): Titanium Dioxide Risk of cancer depends on duration and
level of exposure to this product as a dust or aerosol mist.

Section 12 - Ecological Information

Ecological Fate	* No data available.
Persistence/Degradability	* No data available.
Bioaccumulation Potential	* No data available.
Mobility in Soil	* No data available.
Other Information	* Do not allow product exposure to the ground or into any waterway. Do not allow entry into muncipal sewer systems.

Section 13 - Disposal Considerations

Product

* Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transportation Information

DOT - United States - Department of Transportation - Shipping Name: Not Regulated.

TDG - Canada - Transportation of Dangerous Goods - Shipping Name: Not Restricted.

IMO/IMDG - International Maritime Transport Shipping Name: Not Regulated.

IATA - International Air Transportation Association - Not Regulated.

Section 15 - Regulatory Information

SARA Hazard Classifications * Acute, Chronic

State Right To Know					
Component	CAS	MA	MN	NJ	PA
Acrylic Polymer Solution	Proprietary	No	No	No	No
Polyethylene Fiber	9002-88-4	No	No	No	No
Titanium Dioxide	13463-67-7	Yes	Yes	Yes	Yes

Inventory			
Component	CAS	EU EINECS	TSCA
Acrylic Polymer Solution	25265-77-4	No	No
Polyethylene Fiber	9002-88-4	No	No
Titanium Dioxide	13463-67-7	Yes	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

•Titanium D2A (In certain cases, this classification does not apply. For more information, consult the section

Dioxide ¹³⁴⁶³⁻⁶⁷⁻⁷ Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS website.)

United States

Environment

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

Titanium Dioxide 13463-67-7

United States - Rhode Island

Labor

U.S. - Rhode Island - Hazardous Substance List • Titanium Dioxide 13463-67-7 Toxic

Other Information

* WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Preparation Date * 1/10/2018

Last Revision Date * 1/10/2018

Disclaimer/Statement of Liability

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the users responsibility to verify the suitability and completeness of such information for particular use. Gardner Gibson Inc. does not accept liability for any loss or damage that may occur from the use of this informati